



## Diverclean C3

Revision: 2023-05-31

Version: 01.1

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** Diverclean C3

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Hard surface cleaner

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited

Unit 8, 55 Newton Road, Wetherill Park, NSW, 2164

1-7 Bell Grove, Braeside, VIC 3195

Telephone: 1800 647 779 (toll free)

Email: aucustserv@diversey.com

Website: diversey.com.au

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Serious eye damage, Category 1

Skin irritation, Category 2

#### 2.2 Label elements



**Signal word:** Danger

**Hazard statements:**

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

**Prevention statement(s):**

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

**Response statement(s):**

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

**Disposal statement(s):**

P501 - Dispose of unused content as chemical waste.

**2.3 Other hazards****2.4 Classification diluted product:**

Recommended maximum concentration (% w/w): 5

Not classified as hazardous

**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS#	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	3-10
disodium metasilicate	6834-92-0	229-912-9	1-3
tetrapotassium pyrophosphate	7320-34-5	230-785-7	1-3
alcohols, C12-14, ethoxylated, sulphates, sodium salts	68891-38-3	500-234-8	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>Inhalation:</b>	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.
<b>First aid facilities:</b>	Eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	Causes irritation.
<b>Eye contact:</b>	Causes severe or permanent damage.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code***None allocated***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

## Diverclean C3

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, universal binders).

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-butoxyethanol	20 ppm 96.9 mg/m <sup>3</sup>	50 ppm 242 mg/m <sup>3</sup>	

Biological limit values, if available:

**8.2 Exposure controls**

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.*

*If available, please refer to the product information sheet for application and handling instructions.*

*Normal use conditions are assumed for this section.*

*Recommended safety measures for handling the undiluted product:*

*Covering activities such as filling and transfer of product to application equipment, flasks or buckets*

**Appropriate engineering controls:**

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:**

Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (AS/NZS 1337.1).

**Hand protection:**

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

No special requirements under normal use conditions.

## Diverclean C3

**Environmental exposure controls:** No special requirements under normal use conditions.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 5

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:** No special requirements under normal use conditions

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , Pink	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> > 12 (neat)	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	
<b>Flammability (liquid):</b> Not determined.	
<b>Flash point (°C):</b> > 100 °C	closed cup
<b>Sustained combustion:</b> Not applicable. ( UN Manual of Tests and Criteria, section 32, L.2 )	
<b>Evaporation rate:</b> Not determined	
<b>Flammability (solid, gas):</b> Not determined	
<b>Lower and upper explosion limit/flammability limit (%):</b> Not determined	
<b>Vapour pressure:</b> Not determined	
<b>Relative vapour density</b> Not determined	Not relevant to classification of this product
<b>Relative density:</b> ≈ 1.06 (approximately) (20 °C)	
<b>Solubility in / Miscibility with water:</b> Fully miscible	
<b>Partition coefficient: n-octanol/water</b> No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**Viscosity:** Not determined

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

### 9.2 Other information

**Surface tension (N/m):** Not determined

**Corrosion to metals:** Not corrosive

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

**10.5 Incompatible materials**

Reacts with acids.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

ATE - Inhalatory, vapours (mg/l): >50

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	1746	Rat	ATE - Acute Toxicity Estimate	
disodium metasilicate	LD <sub>50</sub>	770 - 820	Mouse	Method not given	ECHA Dossier 2020
tetrapotassium pyrophosphate	LD <sub>50</sub>	> 2000	Rat	Method not given	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD <sub>50</sub>	> 2000	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	6411		Method not given	
disodium metasilicate	LD <sub>50</sub>	> 5000	Rat Guinea pig	Method not given	
tetrapotassium pyrophosphate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 2 (mist) No mortality observed	Rat	Method not given	4
disodium metasilicate	LC <sub>50</sub>	> 2.06	Rat	Method not given	
tetrapotassium pyrophosphate	LC <sub>50</sub>	> 1.1	Rat	Method not given	4
alcohols, C12-14, ethoxylated, sulphates, sodium salts		5.71			

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
disodium metasilicate	Corrosive		Method not given	
tetrapotassium pyrophosphate	Not irritant		Method not given	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
disodium metasilicate	Corrosive		Method not given	
tetrapotassium pyrophosphate	Irritant		Method not given	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
disodium metasilicate	Irritating to respiratory tract		Method not given	
tetrapotassium pyrophosphate	No data available			
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
disodium metasilicate	Not sensitising	Mouse	OECD 429 (EU B.42)	
tetrapotassium pyrophosphate	Not sensitising		Method not given	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
disodium metasilicate	No data available			
tetrapotassium pyrophosphate	No data available			
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
disodium metasilicate	No data available		No data available	
tetrapotassium pyrophosphate	No data available		No data available	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476	No evidence for mutagenicity, negative test results	OECD 475 (EU B.11)

## Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
disodium metasilicate	No data available
tetrapotassium pyrophosphate	No data available
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
disodium metasilicate			No data available				
tetrapotassium pyrophosphate			No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	Developmental toxicity	> 1000	Rat	OECD 414 (EU B.31), oral		No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		
tetrapotassium pyrophosphate	NOAEL	No data available	Rat	OECD 408 (EU B.26)	90 days	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	> 225		OECD 408 (EU	90	

				B.26)		
--	--	--	--	-------	--	--

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
disodium metasilicate		No data available				
tetrapotassium pyrophosphate		No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
disodium metasilicate		No data available				
tetrapotassium pyrophosphate		No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
disodium metasilicate			No data available					
tetrapotassium pyrophosphate			No data available					
alcohols, C12-14, ethoxylated, sulphates, sodium salts			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
disodium metasilicate	No data available
tetrapotassium pyrophosphate	No data available
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
disodium metasilicate	No data available
tetrapotassium pyrophosphate	No data available
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 100	<i>Oncorhynchus</i>	OECD 203, static	96

			<i>mykiss</i>		
disodium metasilicate	LC <sub>50</sub>	210	<i>Brachydanio rerio</i>	Method not given	96
tetrapotassium pyrophosphate	LC <sub>50</sub>	> 100	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	96
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LC <sub>50</sub>	7.1	<i>Fish</i>	OECD 203 (EU C.1)	96

## Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	OECD 202, static	48
disodium metasilicate	EC <sub>50</sub>	1700	<i>Daphnia</i>	Method not given	48
tetrapotassium pyrophosphate	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC <sub>50</sub>	7.4	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
disodium metasilicate	EC <sub>50</sub>	207	<i>Chlorella pyrenoidosa</i>	Method not given	72
tetrapotassium pyrophosphate		No data available			
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC <sub>50</sub>	10 - 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			
disodium metasilicate		No data available			
tetrapotassium pyrophosphate		No data available			
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC <sub>0</sub>	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
disodium metasilicate	EC <sub>50</sub>	> 100	<i>Activated sludge</i>	Method not given	3 hour(s)
tetrapotassium pyrophosphate		No data available			
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC <sub>0</sub>	> 100		DIN 38412, Part 27	

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
disodium metasilicate		No data available				
tetrapotassium pyrophosphate		No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	1 - 10	<i>Not specified</i>	OECD 203	45 day(s)	

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
disodium metasilicate		No data available				
tetrapotassium pyrophosphate		No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	0.27	<i>Daphnia sp.</i>	OECD 211	21 day(s)	



## Diverclean C3

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

### Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrapotassium pyrophosphate		No data available				

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrapotassium pyrophosphate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrapotassium pyrophosphate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
tetrapotassium pyrophosphate		No data available			

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
disodium metasilicate					Not applicable (inorganic substance)
tetrapotassium pyrophosphate					Not applicable (inorganic substance)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		CO <sub>2</sub> production	77-79 % in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

## Diverclean C3

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrapotassium pyrophosphate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrapotassium pyrophosphate					No data available

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
disodium metasilicate	No data available			
tetrapotassium pyrophosphate	-2	Method not given	No bioaccumulation expected	
alcohols, C12-14, ethoxylated, sulphates, sodium salts	0.3	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
disodium metasilicate	No data available				
tetrapotassium pyrophosphate	No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts	< 3		Method not given	No bioaccumulation expected	

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
disodium metasilicate	No data available				
tetrapotassium pyrophosphate	No data available				
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available				

### 12.5 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

### Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

## SECTION 14: Transport information

### ADG, IMO/IMDG, ICAO/IATA

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

Hazchem code: None allocated

## SECTION 15: Regulatory information

## Diverclean C3

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
<b>Poison schedule</b>	Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Classification</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
<b>Inventory listing(s)</b>	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

SDS code: MS31000119

Version: 01.1

Revision: 2023-05-31

**Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ):** Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- DNEL - Derived No Effect Limit
- LD50 - Lethal Dose, 50% / Median Lethal dose
- EUH - CLP Specific hazard statement
- STOT-RE - Specific target organ toxicity (repeated exposure)
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet