

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

1 Identification

Product Name: MOULD AND MILDEW REMOVER**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:**

For the removal of mould and mildew from bathrooms, ceilings and walls, outdoor furniture, tents and canvasses, painted surfaces both internal and external.

Details of Manufacturer or Importer:

Ultimate Cleaning Products NQ
29/193 Hartley Street,
Portsmith, QLD, 4870

Phone Number:

1300 130 138
07 4035 1162

Emergency telephone number: 0422 648 068

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Skin Corrosion/Irritation 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Signal Word Warning**Hazard Statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P321 Specific treatment (see on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

Product Name: MOULD AND MILDEW REMOVER

(Contd. of page 1)

Hazardous Components:		
CAS: 7681-52-9	Sodium hypochlorite, solution	>5%
	⚠ Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318 ; Aquatic Chronic 1, H410 ⚠ STOT SE 3, H335	
CAS: 1310-73-2	Sodium hydroxide	<0.5%
	⚠ Skin Corrosion/Irritation 1A, H314; ⚠ STOT SE 3, H335	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

Rinse mouth out with water and give large amounts of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Symptoms Caused by Exposure:

Inhalation: Inhalation of vapours or spray mists at high concentrations may cause irritation of the mucous membrane and upper respiratory tract.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: May be harmful if ingested. May cause nausea, vomiting and gastrointestinal irritation.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include chlorine gas, sodium chloride and sodium chlorate.

Product is not flammable, but heat and acid contamination may produce toxic and irritating fumes.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved full protective clothing including eye/face protection. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal. Provide adequate ventilation. Flush area with water to remove trace residue.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

Product Name: MOULD AND MILDEW REMOVER

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Provide adequate ventilation.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong acids, oxidizing materials, reducing agents, ammonia solutions, peroxides and chemicals such as paint, kerosene, paint thinners, shellac, grease and oils.

8 Exposure Controls and Personal Protection

Exposure Standards:
CAS: 1310-73-2 Sodium hydroxide

WES	Peak limitation: 2 mg/m ³
-----	--------------------------------------

CAS: 7782-50-5 Chlorine

	(Decomposition product)
--	-------------------------

WES	Peak limitation: 3 mg/m ³ , 1 ppm
-----	--

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Yellow-green
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

Product Name: MOULD AND MILDEW REMOVER

(Contd. of page 3)

Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	Not applicable
Flammability:	Product is not flammable
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Relative Density:	No information available
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Completely soluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur.
Contact with acids liberates toxic gas.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.**Conditions to Avoid:** Heat, sparks, open flames, hot surfaces and direct sunlight.**Incompatible Materials:**

Strong acids, oxidizing materials, reducing agents, ammonia solutions, peroxides and chemicals such as paint, kerosene, paint thinners, shellac, grease and oils.

Hazardous Decomposition Products: Chlorine gas, sodium chloride and sodium chlorate.

11 Toxicological Information

Toxicity:**LD50/LC50 Values Relevant for Classification:****CAS: 7681-52-9 Sodium hypochlorite, solution**

Oral	LD50	5,800 mg/kg (mouse)
------	------	---------------------

CAS: 1310-73-2 Sodium hydroxide

Oral	LD50	1,350 mg/kg (rat)
------	------	-------------------

Dermal	LD50	1,350 mg/kg (rat)
--------	------	-------------------

Acute Health Effects**Inhalation:**

Inhalation of vapours or spray mists at high concentrations may cause irritation of the mucous membrane and upper respiratory tract.

Skin: Causes skin irritation.**Eye:** Causes serious eye irritation.**Ingestion:** May be harmful if ingested. May cause nausea, vomiting and gastrointestinal irritation.**Skin Corrosion / Irritation:** Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye irritation.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

Product Name: MOULD AND MILDEW REMOVER

(Contd. of page 4)

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Harmful to aquatic life with long lasting effects.

CAS: 7681-52-9 Sodium hypochlorite, solution

EC50/48 h 0.035 mg/l (daphnia)

LC50/96 h 35 mg/l (rainbow trout)

CAS: 1310-73-2 Sodium hydroxide

EC50/48 h 40.4 mg/l (daphnia)

LC50/96 h 125 mg/l (mosquito fish)

45.4 mg/l (rainbow trout)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 19.05.2023

Revision: 19.05.2023

Product Name: MOULD AND MILDEW REMOVER

(Contd. of page 5)

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:
Not Scheduled.

16 Other Information

Date of Preparation or Last Revision: 07.10.2021**Last Revision of MSDS:** 07.04.2008**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au
Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Skin Corrosion/Irritation 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Data altered compared to the previous version: Section 14
Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Ultimate Cleaning Products NQ makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.